



Full Length Article

Guide on set invariance for delay difference equations[☆]

Mohammed-Tahar Laraba^a, Sorin Olaru^{a,*}, Silviu-Iulian Niculescu^a, Franco Blanchini^b,
Giulia Giordano^b, Daniele Casagrande^c, Stefano Miani^c

^a Laboratory of Signals and Systems (L2S, UMR CNRS 8506), CentraleSupélec - CNRS - Université Paris-Sud, Université Paris-Saclay, France

^b Department of Mathematics and Computer Science, University of Udine, Italy

^c Polytechnic Department of Engineering and Architecture, University of Udine, Italy

ARTICLE INFO

Article history:

Received 25 November 2015

Revised 1 March 2016

Accepted 10 March 2016

Available online 29 April 2016

Keywords:

Set invariance

Linear time-delay systems

Discrete time-delay difference equations

ABSTRACT

This paper addresses set invariance properties for linear time-delay systems. More precisely, the first goal of the article is to review known necessary and/or sufficient conditions for the existence of invariant sets with respect to dynamical systems described by linear discrete time-delay difference equations (dDDEs).

Secondly, we address the construction of invariant sets in the original state space (also called \mathcal{D} -invariant sets) by exploiting the forward mappings. The notion of \mathcal{D} -invariance is appealing since it provides a region of attraction, which is difficult to obtain for delay systems without taking into account the delayed states in some appropriate extended state space model.

The present paper contains a sufficient condition for the existence of ellipsoidal \mathcal{D} -contractive sets for dDDEs, and a necessary and sufficient condition for the existence of \mathcal{D} -invariant sets in relation to linear time-varying dDDE stability. Another contribution is the clarification of the relationship between convexity (convex hull operation) and \mathcal{D} -invariance of linear dDDEs. In short, it is shown that the convex hull of the union of two or more \mathcal{D} -invariant sets is not necessarily \mathcal{D} -invariant, while the convex hull of a non-convex \mathcal{D} -invariant set is \mathcal{D} -invariant.

© 2016 International Federation of Automatic Control. Published by Elsevier Ltd. All rights reserved.

1. Introductory remarks

Positive invariance is an essential concept in control theory, with applications to constrained dynamical systems analysis, uncertainty handling as well as related control design problems (Blanchini, 1999; Hmamed, Benzaouia, Ait Rami, & Tadeo, 2007; Moussaoui, Abbou, & Loiseau, 2014). It serves as a basic tool in many topics, such as model predictive control (Mayne, Rawlings, Rao, & Scokaert, 2000; Reble & Allgöwer, 2010; Santos & Gonzalez, 2015d), fault tolerant control (Olaru, De Dona, Seron, & Stoican, 2010) and reference governor design (Stoican, Olaru, Seron, & De Dona, 2012). Furthermore, there exists a close link between classical stability theory and positive invariant sets. It is worth mentioning that, in Lyapunov theory, invariance is implicitly

described by the sub-level sets of a Lyapunov function, which are known to be contractive sets (Blanchini & Miani, 2008).

The response of a dynamical system to external excitation is rarely instantaneous, and time-delay models are well suited for describing dynamics related to propagation phenomena and/or communication flows (see, for example, Avila Alonso et al., 2014; Boussaada, Mounier, Niculescu, and Cela, 2012; Di Cairano, Kalabić, and Kolmanovsky, 2015; Hennet, 1998; Hetel, Daafouz, Tarbouriech, and Prieur, 2013; Hmamed, Benzaouia, and Bensalah, 1995; Keqin Gu, 2003; Miani & Morassutti, 2009; Michiels & Niculescu, 2007; Normey-Rico, 2007; Samanta, 2011; Seuret, Özbay, Bonnet, & Mounier, 2014; Tarbouriech, 1998; Tarbouriech & Silva, 2000e). In closed loop, the dynamics can be represented by delay differential equations (resp. inclusions) or delay difference equations (resp. inclusions) according to the continuous/discrete framework and the presence of disturbances or uncertainties. In the present paper, we consider autonomous dynamics where the delayed arguments are treated as a state dependence and not as a perturbation signal.

From a mathematical point of view, delay difference equations form an important modeling class, since most modern controllers are implemented via computers or dedicated embedded systems. They have been widely studied in the literature (see

[☆] A preliminary version of the paper has been presented at the 12th IFAC Workshop on Time Delay Systems, Ann Arbor (MI), USA, 2015.

* Corresponding author.

E-mail addresses: mohammed.laraba@l2s.centralesupelec.fr (M.-T. Laraba), sorin.olaru@l2s.centralesupelec.fr (S. Olaru), silviu.niculescu@l2s.centralesupelec.fr (S.-I. Niculescu), franco.blanchini@uniud.it (F. Blanchini), giulia.giordano@uniud.it (G. Giordano), daniele.casagrande@uniud.it (D. Casagrande), miani.stefano@uniud.it (S. Miani).

Cooke & Ivanov, 2000; Elaydi, 2004; Fisher & Goh, 1984; Tang & Chen, 2002). Difference and differential equations with unbounded random delays have been addressed in Crauel, Doan, and Siegmund (2009). Delay difference inclusions DDIs represent also a rich modeling class including networked control systems and uncertain time-delay systems. The relationship between stability of DDIs and the existence of Lyapunov–Krasovskii and Lyapunov–Razumikhin functions has been studied in detail in Gielen, Lazar, and Kolmanovskiy (2012a). Stabilizing controller construction and stability analysis based on Lyapunov–Krasovskii and Lyapunov–Razumikhin functions for DDIs have been proposed therein.

Positive invariance for dynamical systems described by dDDEs has been addressed in Seifert (1976). As hinted before, two main approaches exist in the literature dealing with positive invariant sets for discrete time-delay difference equations. The first approach, referred to as *Krasovskii approach*, relies on the fact that the discrete-time dDDE allows a finite-dimensional extended state space model (this representing a demarcation with respect to the continuous-time counterpart). This extended state space, whose dimension is finite but strongly related to the delay value, leads to an invariant set characterization with respect to an equivalent linear time-invariant model. This concept is well understood and popular in the literature, but it suffers from an increased numerical complexity when delays are relatively large. Lyapunov–Krasovskii and spectral techniques have been also used in Damak, Ferhi, Andrieu, Di Loreto, and Lombardi (2013) to analyze Lyapunov and asymptotic stability.

The second approach, referred to as *Razumikhin approach*, has been formulated in the '90s and re-investigated in the last decade, to obtain an invariant set for the dDDE in the original state space, which is independent of the delay value. This concept is also denoted as \mathcal{D} -invariance, and is often conservative as long as the existence conditions are restrictive. It is worth mentioning that a relaxation of the Lyapunov–Razumikhin conditions has been proposed by Gielen, Lazar, and Raković (2013). The proposed conditions, which can be verified by solving an LMI problem for linear dDDEs, prove to be necessary and sufficient for asymptotic stability of dDDEs. Furthermore, the obtained relaxed Lyapunov–Razumikhin functions are useful for constructing invariant sets for dDDEs.

It has been recently recognized that \mathcal{D} -invariance can be seen as set factorization of an invariant set in the extended state space (Olaru, Stanković, Bitsoris, & Niculescu, 2014). It has been established that the extended state space invariance corresponds to a minimal factorization while \mathcal{D} -invariance, under the constraints imposed by the dimension of the dDDE, represents the maximal regular ordered factorization. This interesting result opens the way for factorizations which are in between the two representations, by exploiting non-minimal state space equations. In Laraba, Olaru, Niculescu, and Bitsoris (2015a), the authors have focused on the maximal factorizations. They have proposed a characterization of the link between the Razumikhin and Krasovskii approaches, by using set factorization. The proposed framework yields a fitting trade-off between the conceptual generality of the extended state space approach and the computational convenience of the \mathcal{D} -invariance approach. It has been shown that \mathcal{D} -invariance represents a particular realization of a broader family of invariant structures. The relationship between these families of invariant sets has been established via set factorization and conjugacy. In Athanasopoulos and Lazar (2014a), two specific families of controlled (k, λ) -contractive sets in the augmented state space framework have been characterized and the link between these controlled (k, λ) -contractive sets and those of the time-delay system has been established in Raković and Gielen (2014).

In Lombardi, Olaru, Bitsoris, and Niculescu (2012), a new concept of set invariance with respect to discrete-time linear

systems subject to delays has been introduced. A family of sets which represent a sequence of cyclically invariant subsets of the state space was defined and characterized. Basically, the existing algebraic conditions for invariance analysis of linear dynamics have been generalized and conditions for the invariance of a given sequence of sets with respect to linear discrete-time dynamics in the presence of delay have been established. The notion of *invariant family of sets* has been proposed in Raković, Gielen, and Lazar (2012) and Raković and Gielen (2014) to generalize the cyclic invariance concept.

This paper is an extended version of work published in Laraba et al. (2015b), where we addressed the existence of positive invariant sets in the state space of the original dDDE. More precisely, the case of two delays was addressed in the conference paper, while the general case is treated here. \mathcal{D} -invariant sets can be seen as invariant sets in both the current and the retarded state space and further related to the stability analysis based on Lyapunov–Razumikhin approach. Sufficient conditions for the existence of a \mathcal{D} -invariant set have been first obtained in Dambrine, Richard, and Borne (1995); Goubet-Bartholomeus, Dambrine, and Richard (1997). Then, a necessary and sufficient characterization for the existence of \mathcal{D} -invariant sets has been provided in Hennet and Tarbouriech (1998); Vassilaki and Bitsoris (1999). Particularly, as far as the construction of \mathcal{D} -invariant sets is concerned, we can find a series of results in Lombardi, Luca, Olaru, and Niculescu (2011a); Lombardi, Olaru, Lazar, and Niculescu (2011b), which will be appropriately recalled in the present paper. Recently, Stanković, Olaru, and Niculescu (2014) has proposed a computationally efficient numerical routine which is necessary to guarantee the existence of \mathcal{D} -invariant sets for the delay difference equations with two delay parameters. This condition covers, for the two delay case, the existing necessary conditions in the literature and proves to reduce considerably the gap with respect to sufficient conditions. In the present work, we provide an interesting example for which the condition in Stanković et al. (2014) is verified but the existing algorithms fail to construct a \mathcal{D} -invariant set.

As discussed in Aleksandrov and Mason (2014), from the stability point of view a pertinent analysis of \mathcal{D} -invariance can be made in relationship with *delay-independent stability*. In short, it has been shown that the existence of a diagonal Lyapunov–Krasovskii functional is necessary and sufficient for *delay-independent stability*. Polyhedral Lyapunov functions have been used for stability and positive invariance analysis of networked control systems in the presence of bounded delays, constant, unknown or time-varying. The problem of finding stability margins has been proved to reduce to a linear programming problem (Bitsoris, Athanasopoulos, & Dritsas, 2012).

To summarize, the main objectives of the present paper are resumed as follows: i) an overview of necessary and/or sufficient conditions for the existence of \mathcal{D} -invariant sets for dDDEs with an arbitrary delay value; ii) a sufficient condition for the existence of ellipsoidal \mathcal{D} -invariant sets for dDDEs; iii) the proof of the relationship between time-varying dDDE stability and the existence of \mathcal{D} -invariant sets; iv) the proof of two properties related to convexity and convex operations over \mathcal{D} -invariant sets. Notably, it is established that a dDDE admits a \mathcal{D} -invariant set if and only if it is time-varying delay-independent stable.

This paper is structured as follows. Section 2 presents some preliminary mathematical notions and definitions. Basic properties of \mathcal{D} -invariance concept are addressed in Section 3. In the same section, we present necessary and sufficient conditions for the existence of nontrivial sets. The relationship between \mathcal{D} -invariance and stability of dDDEs concludes the section. Algorithmic construction based on set iteration using forward mappings, and some illustrative examples are revisited in Section 4. The concepts of cyclic invariance and the invariant families of sets as well as the

relationship with the set factorization are presented in Section 5. Finally Section 6 draws some concluding remarks.

2. Prerequisites

2.1. Notations

We denote by \mathbb{R} , \mathbb{R}_+ , \mathbb{Z} and \mathbb{Z}_+ the sets of real numbers, non-negative reals, integer numbers and non-negative integers, respectively. For every interval Π of \mathbb{R} we define $\mathbb{Z}_\Pi := \mathbb{Z} \cap \Pi$. For an arbitrary set $\mathcal{A} \subseteq \mathbb{R}^n$, $\text{int}(\mathcal{A})$ denotes the interior of \mathcal{A} . $\mathbb{B}_r^n(0)$ denotes the ball of radius r in Euclidean norm, centered in the origin of \mathbb{R}^n . We denote by $\mathbf{1}_n$ the vector of dimension 'n' with all the entries equal to 1. We denote by \mathbb{D} , $\partial\mathbb{D}$, $\text{ext}(\mathbb{D})$ the open unit disc, the unit circle and the exterior of the closed unit disc respectively. For the matrix pair (A, B) , the set of generalized eigenvalues and the Kronecker product are denoted by $\gamma(A, B)$ and $A \otimes B$, respectively. $I_n \in \mathbb{R}^{n \times n}$ and $0_{n \times m} \in \mathbb{R}^{n \times m}$ denote the identity and the null matrix, respectively. $\mathcal{X} \oplus \mathcal{Y}$ denotes the Minkowski sum of sets \mathcal{X} and \mathcal{Y} , which is defined by:

$$\mathcal{X} \oplus \mathcal{Y} := \{z \mid \exists (x, y) \in (\mathcal{X}, \mathcal{Y}) \text{ such that } z = x + y\}.$$

Definition 1. A set $\mathcal{P} \subseteq \mathbb{R}^n$ is *bounded* if there exists $r \in \mathbb{R}_+$ such that $\mathcal{P} \subset \mathbb{B}_r^n(0)$; *closed* if $\forall x \notin \mathcal{P}, \exists \epsilon \in \mathbb{R}_+$ such that $\mathbb{B}_\epsilon^n(x) \cap \mathcal{P} = \emptyset$; *compact* if it is bounded and closed.

Definition 2. A set $\mathcal{P} \subseteq \mathbb{R}^n$ is a (proper) \mathcal{C} -set if is *convex*, *compact* and *includes the origin in its strict interior*.

We denote by $\text{Com}(\mathbb{R}^n)$ and $\text{ComC}(\mathbb{R}^n)$ the space of compact subsets and the space of \mathcal{C} -subsets of \mathbb{R}^n containing the origin, respectively. The spectrum of a matrix $A \in \mathbb{R}^{n \times n}$ is the set of the eigenvalues of A , denoted by $\lambda(A)$, while the spectral radius is defined as $\rho(A) := \max_{\xi \in \lambda(A)} (|\xi|)$. The spectral norm will be denoted by $\sigma(A)$ and is defined as $\sigma(A) := \sqrt{\rho(A^T A)}$.

2.2. System dynamics

In the sequel, we will consider discrete time-delay difference equations of the form:

$$x(k+1) = \sum_{i=0}^d A_i x(k-i) \quad (1)$$

where $x(k) \in \mathbb{R}^n$ is the state vector at the time $k \in \mathbb{Z}_+$, $d \in \mathbb{Z}_+$ is the maximal fixed time-delay, the matrices $A_i \in \mathbb{R}^{n \times n}$, for $i \in \mathbb{Z}_{[0,d]}$ and the initial conditions are considered to be given by $x(-i) = x_{-i} \in \mathbb{R}^n$, for $i \in \mathbb{Z}_{[0,d]}$.

Definition 3. The null solution of the dDDE:

$$x(k+1) = \sum_{i=0}^m A_i x(k-d_i) \quad (2)$$

is asymptotically stable if $\forall \epsilon > 0, \exists \delta > 0$ such that whenever $\sup_j \|x(-j)\| \leq \delta$, $j = \{1, \dots, m\}$, $\|x(k)\| < \epsilon, \forall k \in \mathbb{Z}_+$ and $x(k) \rightarrow 0$ when $k \rightarrow \infty$.

Definition 4. The dDDE (2) is delay-independently stable if its null solution is stable $\forall d = [d_0, \dots, d_m] \in (\mathbb{Z}_+)^{m+1}$.

Definition 5. The dDDE with time-varying (positive) delay values:

$$x(k+1) = \sum_{i=0}^m A_i x(k-d_i(k)) \quad (3)$$

is delay-independently stable if its null solution is stable $\forall d(k) = [d_0(k), \dots, d_m(k)] \in (\mathbb{Z}_+)^{m+1}$.

It is clear that an extended state space representation can be constructed for any given delay realization. For instance, by setting $\xi(k) = [x(k)^T \dots x(k-d)^T]^T$, Eq. (1) can be rewritten as:

$$\xi(k+1) = A_\xi \xi(k) = \begin{bmatrix} A_0 & \dots & A_{d-1} & A_d \\ I & \dots & 0 & 0 \\ \vdots & \ddots & \vdots & \vdots \\ 0 & \dots & I & 0 \end{bmatrix} \xi(k), \quad (4)$$

This class is relevant for modeling several propagation and transmission phenomena. One example is represented by networked control systems (see Heemels et al., 2010) where the feedback mechanism is affected by communication delays. These delays are known to degrade the performances and eventually affect stability (Halanay & Rasvan, 2000). We report next, without proof, some well-known results related to asymptotic stability of systems (1) and (4) (see e.g. Åström, Wittenmark, 1997).

Lemma 1. The following statements hold:

- System (1) is asymptotically stable if and only if

$$\det \left(zI - \sum_{i=0}^d A_i z^{-i} \right) \neq 0, \quad \forall z \in \text{ext}(\mathbb{D}) \cup \partial\mathbb{D}. \quad (5)$$

- System (4) is asymptotically stable if and only if:

$$\rho(A_\xi) < 1. \quad (6)$$

Theorem 2. The following statements are equivalent:

- The delay difference equation (1) is asymptotically stable.
- The system (4) is asymptotically stable.

3. \mathcal{D} -invariance properties

Let us first consider the generic (nonlinear) discrete-time dynamical system:

$$x(k+1) = f(x(k)) \quad (7)$$

where $x(k) \in \mathbb{R}^n$ is the state vector at time $k \in \mathbb{Z}_+$ and the function $f: \mathbb{R}^n \rightarrow \mathbb{R}^n$ is continuous.

Definition 6. The set $\mathcal{P} \subset \mathbb{R}^n$ is said positively invariant for the system (7) if for all $x(k) \in \mathcal{P}$, $x(k+1) \in \mathcal{P}$ for $k \in \mathbb{Z}_+$. Alternatively, the set $\mathcal{P} \subset \mathbb{R}^n$ is positively invariant for (7) if $f(\mathcal{P}) \subseteq \mathcal{P}$.

Definition 7. Given a scalar $\epsilon \in \mathbb{R}_{(0,1)}$, a set $\mathcal{P} \subset \mathbb{R}^n$ containing the origin is called ϵ -contractive with respect to system (7) if for any $x(k) \in \mathcal{P}$, $x(k+1) \in \epsilon\mathcal{P}$ for $k \in \mathbb{Z}_+$.

One can notice from Definitions 6 and 7 that positive invariance is a limit case of ϵ -contractiveness (it would amount to choosing $\epsilon = 1$ in Definition 7). In the sequel, we will come back to these notions and detail analogies and particularities of time-delay systems. The \mathcal{D} -invariance concept, recalled below, will be widely used throughout this paper for the set-characterization of dDDEs. The notations by Lombardi et al. (2011a, 2011b) will be mainly used in this endeavor.

Definition 8. A set $\mathcal{P} \subseteq \mathbb{R}^n$ is called \mathcal{D} -invariant for the system (1) with initial conditions $x_{-i} \in \mathcal{P}$ for all $i \in \mathbb{Z}_{[0,d]}$ if the state trajectory satisfies $x(k) \in \mathcal{P}, \forall k \in \mathbb{Z}_+$.

Lemma 3 (Lombardi (2011)). The following statements are equivalent:

1. $\mathcal{P} \subseteq \mathbb{R}^n$ is \mathcal{D} -invariant for system (1).
2. $\bigoplus_{i=0}^d A_i \mathcal{P} \subset \mathcal{P}$

Several properties fix a set of basic relations between \mathcal{D} -invariant sets.

Proposition 1. *The following properties hold:*

1. If $\mathcal{P} \subset \mathbb{R}^n$ is \mathcal{D} -invariant then $\alpha\mathcal{P}$ is \mathcal{D} -invariant for any $\alpha \in \mathbb{R}_+$.
2. Let $\mathcal{P}_1, \mathcal{P}_2 \subset \mathbb{R}^n$ be two \mathcal{D} -invariant sets for (1). Then $\mathcal{P}_1 \cap \mathcal{P}_2$ is a \mathcal{D} -invariant set for the same dynamical system.
3. Let $\mathcal{P}_1, \mathcal{P}_2 \subset \mathbb{R}^n$ be two \mathcal{D} -invariant sets for (1). The Minkowski sum $\mathcal{P}_1 \oplus \mathcal{P}_2$ is a \mathcal{D} -invariant set for the same dynamical system.
4. If the set $\mathcal{P} \subset \mathbb{R}^n$ is \mathcal{D} -invariant for the system:

$$x(k+1) = \sum_{i=0}^d A_i x(k-i) \quad (8)$$

then \mathcal{P} is \mathcal{D} -invariant for

$$x(k+1) = \sum_{i=0}^d A_i x(k-\tau_i) \quad (9)$$

for any $\tau_i \in \mathbb{Z}_+$.

5. If the compact set containing the origin \mathcal{P} is \mathcal{D} -invariant, then its convex hull $\text{Conv}(\mathcal{P})$ is \mathcal{D} -invariant.
6. If $\mathcal{P}_1, \mathcal{P}_2 \subset \mathbb{R}^n$ are two \mathcal{D} -invariant sets for (1), their union $\mathcal{P}_1 \cup \mathcal{P}_2$ is not necessarily \mathcal{D} -invariant.
7. The convex hull of the union of \mathcal{D} -invariant sets is not necessarily \mathcal{D} -invariant.

Proof. Properties (1), (2) and (4) were proved in Lombardi (2011). The proof of properties (3) and (6) is straightforward. For the proof of property (5), one can exploit the relationship: $A_1 \text{Conv}(\mathcal{P}) \oplus A_2 \text{Conv}(\mathcal{P}) = \text{Conv}(A_1 \mathcal{P}) \oplus \text{Conv}(A_2 \mathcal{P}) = \text{Conv}(A_1 \mathcal{P} \oplus A_2 \mathcal{P})$. The first equality is a direct application of the convex hull definition and Minkowski sum properties. For the second equality, let $\mathcal{P}_1, \mathcal{P}_2 \subset \mathbb{R}^n$, and let $x \in \text{Conv}(\mathcal{P}_1 \oplus \mathcal{P}_2)$, then $x = \sum \lambda_i (x_i + y_i)$ with $x_i \in \mathcal{P}_1$ and $y_i \in \mathcal{P}_2$, $\lambda_i \geq 0$ and $\sum \lambda_i = 1$, then $x = \sum \lambda_i x_i + \sum \lambda_i y_i \in \text{Conv}(\mathcal{P}_1) \oplus \text{Conv}(\mathcal{P}_2)$. Suppose now that $x \in \text{Conv}(\mathcal{P}_1) \oplus \text{Conv}(\mathcal{P}_2)$ then $x = \sum \lambda_i x_i + \sum \beta_j y_j$, with $\sum \lambda_i = \sum \beta_j = 1$, and $\lambda_i, \beta_j \geq 0$, $x_i \in \mathcal{P}_1, y_j \in \mathcal{P}_2$. Since $\sum \lambda_i \sum \beta_j = \sum_{i,j} \lambda_i \beta_j = 1$ we can write $x = \sum_{i,j} \lambda_i \beta_j (x_i + y_j)$, then $x \in \text{Conv}(\mathcal{P}_1 \oplus \mathcal{P}_2)$. Note that

$$A_1 \mathcal{P} \oplus A_2 \mathcal{P} \subset \mathcal{P} \Rightarrow \text{Conv}(A_1 \mathcal{P} \oplus A_2 \mathcal{P}) \subset \text{Conv}(\mathcal{P})$$

to conclude that:

$$A_1 \text{Conv}(\mathcal{P}) \oplus A_2 \text{Conv}(\mathcal{P}) \subset \text{Conv}(\mathcal{P})$$

In order to check the property (7), consider the system:

$$x(k+1) = \begin{bmatrix} 0.2 & 0.01 \\ 0 & 0.7 \end{bmatrix} x(k) + \begin{bmatrix} 0.6 & 0 \\ 0.005 & 0.25 \end{bmatrix} x(k-1), \quad (10)$$

then the set

$$\mathcal{P}_1 = \left\{ x \in \mathbb{R}^2 \mid \begin{bmatrix} -0.1 \\ -1 \end{bmatrix} \leq x \leq \begin{bmatrix} 0.1 \\ 1 \end{bmatrix} \right\}$$

is \mathcal{D} -invariant as well as

$$\mathcal{P}_2 = \left\{ x \in \mathbb{R}^2 \mid \begin{bmatrix} -1 \\ -0.1 \end{bmatrix} \leq x \leq \begin{bmatrix} 1 \\ 0.1 \end{bmatrix} \right\}$$

However, the set obtained as convex hull of the union $\mathcal{P}_1 \cup \mathcal{P}_2$, denoted $\mathcal{P} = \text{Conv}(\mathcal{P}_1, \mathcal{P}_2)$, is not \mathcal{D} -invariant. \square

Remark 1. Property (7) of Proposition 1 raises a warning on the convex hull operation applied to the union of two or more \mathcal{D} -invariant sets, which is not a closed operation over the class of \mathcal{D} -invariant sets. However, property (5) of Proposition 1 points out that for one \mathcal{D} -invariant operand, the convex hull operation preserves \mathcal{D} -invariance. It becomes clear that under the (unfortunately uncheckable) assumption that a \mathcal{D} -invariant set exists, an efficient (convexity based) construction will be able to characterize it.

Remark 2. The property (4) of Proposition 1 holds also for the limit case $\tau_i = \infty$. As a consequence, if $\mathcal{P} \subseteq \mathbb{R}^n$ is a \mathcal{D} -invariant set containing the origin, then \mathcal{P} is positively invariant with respect to the time invariant linear dynamics:

$$\begin{aligned} x(k+1) &= A_0 x(k), \\ &\vdots \\ x(k+1) &= A_d x(k). \end{aligned} \quad (11)$$

Equivalently, $A_0 \mathcal{P} \subseteq \mathcal{P}, \dots, A_d \mathcal{P} \subseteq \mathcal{P}$. The same result holds for a dDDE represented by a partial sum of (1). Note that the second property of Proposition 1 can be generalized. The intersection of a finite or infinite collection of \mathcal{D} -invariant sets is \mathcal{D} -invariant.

The goal of the next subsections is to collect necessary and/or sufficient conditions for the existence of a \mathcal{D} -invariant set for dDDEs. The existence of a non-degenerate and bounded \mathcal{D} -invariant set¹ is related to the stability of the discrete-time dynamical system (1) affected by delay. It is obvious that asymptotic stability is only a necessary condition for the existence of a \mathcal{D} -contractive set and stricter conditions have to be imposed for guaranteeing this existence. In the following we enumerate a series of necessary and/or sufficient conditions available in the literature, to the best of our knowledge; whenever possible, we will link the conditions to classical numerical routines for the eigenvalue problems.

3.1. Necessary conditions for \mathcal{D} -invariance

3.1.1. Basic algebraic conditions

Proposition 2. Lombardi et al. (2011b) Considering the system (1), the existence of a \mathcal{D} -invariant \mathcal{C} -set \mathcal{P} implies that:

1. The spectral radii of the matrices A_i are sub-unitary:

$$\rho(A_i) \leq 1, \quad \forall i \in \mathbb{Z}_{[0,d]}.$$

2. The spectral radius of the matrix $(\sum_{i=0}^d A_i)$ is sub-unitary:

$$\rho\left(\sum_{i=0}^d A_i\right) \leq 1.$$

3. The spectral radius of the extended state-space matrix is sub-unitary:

$$\rho(A_\xi) \leq 1.$$

Proposition 2 in conjunction with property (4) of Proposition 1 gives a measure of the complexity of establishing necessary and sufficient conditions. Practically, the difficulty is related to the need of testing the spectral radius of the extended state-space matrix for all possible delay realizations.

3.1.2. Alternative algebraic conditions

Alternative necessary conditions were proposed in Gielen, Lazar, and Olaru (2012b) in terms of asymptotic stability of dDDEs, for the existence of a \mathcal{D} -contractive set. The main idea is to cover the possible sign combinations for the tuple $A_i, i \in \mathbb{Z}_{[0,d]}$: a straightforward task for any value of the delay parameter. In order to simplify the notation, let us introduce the set $\mathbb{S} = \{-1, 0, 1\}$ and $\Delta = [\delta(0), \dots, \delta(d)]$.

Proposition 3. Gielen et al. (2012b) System (1) admits a \mathcal{D} -contractive set only if:

$$\rho\left(\sum_{i=0}^d \delta(i) A_i\right) \leq 1, \quad \forall \Delta \in \mathbb{S}^{d+1}. \quad (12)$$

¹ It is easy to observe that sets like $\{0\}$ or \mathbb{R}^n are \mathcal{D} -invariant but they do not satisfy the non-degenerate or boundedness conditions.

If a given dDDE does not satisfy the above condition, then it does not admit a \mathcal{D} -contractive set. [Gielen et al. \(2012b\)](#) shows that the condition derived in [Proposition 3](#) is not sufficient for the existence of a \mathcal{D} -contractive set, numerical examples being available in this sense.

3.1.3. Specific algebraic conditions for 2 delay dDDEs

For dDDEs with two delay parameters, in order to decrease the conservativeness of the time-domain methods, [Stanković et al., 2014](#) have used the frequency-domain framework. The \mathcal{D} -invariance concept was studied, along with its relation to robust asymptotic stability, considered as a strong stability of dDDEs. This notion defines stability with respect to all delay realizations. Due to the incompleteness of the discrete time, the characterization of robust asymptotic stability is not simple. Thus using a more general class of difference equation (precisely the ones that are specified in the continuous-time domain) proved to be useful. In the sequel the concept of strong stability is denoted by *delay-independent stability*² and it represents the continuous-time counterpart to *robust asymptotic stability*.

Recently, [Stanković et al. \(2014\)](#) have provided a computationally efficient numerical condition which is necessary to guarantee the existence of Lyapunov–Razumikhin contractive sets. This test is sufficient for the robust asymptotic stability with respect to the delay parameter and can be employed in the \mathcal{D} -invariance context. The main result can be summarized in the next theorem.

Theorem 4. [Stanković et al. \(2014\)](#) Assume that $\rho(A_0 + A_1) \leq 1$ and that $d_0 \in \mathbb{R}_+$ and $d_1 \in \mathbb{R}_+$. Then, the system

$$x(k) = \sum_{i=0}^1 A_i x(k - d_i) \quad (13)$$

admits a \mathcal{D} -contractive set only if $\gamma(U, V) \cap \partial \mathbb{D} = \emptyset$, where

$$U = \begin{pmatrix} 0_{n^2 \times n^2} & I_{n^2} \\ -B_0 & -B_1 \end{pmatrix}, \quad V = \begin{pmatrix} I_{n^2} & 0_{n^2 \times n^2} \\ 0_{n^2 \times n^2} & B_2 \end{pmatrix} \quad (14)$$

$$B_0 = A_0 \otimes A_1^T, \quad B_1 = A_0 \otimes A_0^T + A_1 \otimes A_1^T - I_{n^2}, \quad B_2 = A_1 \otimes A_0^T. \quad (15)$$

As stated in [Stanković et al. \(2014\)](#), the condition of [Theorem 4](#) covers the existing necessary conditions for the two delay parameters case. However, we report here an interesting example which points out the possible limitations of this condition.

Example 1. [Laraba et al. \(2015b\)](#) Consider system (1) with $d = 1$ and:

$$A_0 = \begin{pmatrix} 0.5 & 0.5 \\ 0 & 0 \end{pmatrix}; \quad A_1 = \begin{pmatrix} 0 & 0.5 \\ -0.5 & 0.5 \end{pmatrix} \quad (16)$$

For this numerical example, one can compute:

$$\rho(A_0 + A_1) = 0.8660 < 1$$

and

$$\gamma(U, V) = 1.7442 \pm 1.9433i, \quad 0.2558 \pm 0.2850i, \quad 0, 0, \text{inf}, \text{inf}.$$

The necessary condition by [Stanković et al. \(2014\)](#) is fulfilled. However, up to the existing constructive routines (see next section) there is no numerical construction able to determine a \mathcal{D} -invariant set for this system.

3.2. Sufficient conditions for \mathcal{D} -invariance

The converse problem of establishing sufficient conditions for the existence of \mathcal{D} -invariant sets has been stated in [Lombardi \(2011\)](#) with two tests that we recall here for completeness.

Proposition 4 ([Lombardi \(2011\)](#)). The existence of a \mathcal{D} -invariant \mathcal{C} -set \mathcal{P} is guaranteed for the system (1), if one of the following spectral norm based conditions holds:

1. The sum of the spectral norms of A_i , for $i \in \mathbb{Z}_{[0,d]}$, is subunitary:

$$\sum_{i=0}^d \sigma(A_i) < 1.$$

2. In the case of nonsingular matrix A_i for $i \in \mathbb{Z}_{[0,d]}$

$$\begin{aligned} (1 + \sigma(A_0^{-1}A_1) + \dots + \sigma(A_0^{-1}A_d))\sigma(A_0) &\leq 1 \\ &\vdots \\ (1 + \sigma(A_d^{-1}A_0) + \dots + \sigma(A_d^{-1}A_{d-1}))\sigma(A_d) &\leq 1. \end{aligned}$$

Remark 3. The sufficient condition (1) can be generalized by replacing the sum of the spectral norms by the sum of any other induced matrix norms.

[Proposition 4](#) concentrates on the spectral norms of the matrices appearing in the dDDE (1). A different approach for establishing sufficient conditions is to exploit the structural properties of specific classes of candidate \mathcal{D} -invariant sets. We propose next a contribution in this sense with a sufficient condition for the existence of ellipsoidal \mathcal{D} -contractive sets for a dDDE. As it is often the case in this framework, the tests are based on LMIs.

Theorem 5. Considering the dynamical system (1), the existence of an ellipsoidal \mathcal{D} -invariant set is guaranteed if the following $d + 1$ LMIs hold for some $P = P^T > 0$:

$$\begin{pmatrix} A_0^T P A_0 - P & A_0^T P A_1 & \dots & A_0^T P A_d \\ A_1^T P A_0 & A_1^T P A_1 & \dots & A_1^T P A_d \\ \vdots & \vdots & \ddots & \vdots \\ A_d^T P A_0 & A_d^T P A_1 & \dots & A_d^T P A_d \end{pmatrix} < 0 \quad (17a)$$

$$\begin{pmatrix} A_0^T P A_0 & A_0^T P A_1 & \dots & A_0^T P A_d \\ A_1^T P A_0 & A_1^T P A_1 - P & \dots & A_1^T P A_d \\ \vdots & \vdots & \ddots & \vdots \\ A_d^T P A_0 & A_d^T P A_1 & \dots & A_d^T P A_d \end{pmatrix} < 0 \quad (17b)$$

$$\begin{pmatrix} \vdots & \vdots & \vdots & \vdots \\ A_0^T P A_0 & A_0^T P A_1 & \dots & A_0^T P A_d \\ A_1^T P A_0 & A_1^T P A_1 & \dots & A_1^T P A_d \\ \vdots & \vdots & \ddots & \vdots \\ A_d^T P A_0 & A_d^T P A_1 & \dots & A_d^T P A_d - P \end{pmatrix} < 0 \quad (17c)$$

Proof. In order to ensure that the set

$$\Psi = \{x \in \mathbb{R}^n, x^T P x \leq 1\}$$

is \mathcal{D} -invariant for the system described by the dDDE (1), one has to show that $x_{k+1} \in \Psi, \forall x_k, x_{k-1}, \dots, x_{k-d} \in \Psi$, which is equivalent to the simultaneous verification of the $d + 1$ inequalities:

$$\begin{aligned} x_{k+1}^T P x_{k+1} - x_k^T P x_k &< 0 \\ x_{k+1}^T P x_{k+1} - x_{k-1}^T P x_{k-1} &< 0 \\ &\vdots \\ x_{k+1}^T P x_{k+1} - x_{k-d}^T P x_{k-d} &< 0 \end{aligned}$$

² also known as stability in the delays.




Fig. 1. \mathcal{D} -contractive set for the dDDE (1) with $d = 1$, A_0, A_1 given in (21).

Exploiting the dDDE relationship one has: $x_{k+1}^T P x_{k+1} - x_k^T P x_k = (A_0 x_k + A_1 x_{k-1} + \dots + A_d x_{k-d})^T P (A_0 x_k + A_1 x_{k-1} + \dots + A_d x_{k-d}) - x_k^T P x_k = x_k^T (A_0^T P A_0 - P) x_k + x_k^T A_0^T P (A_1 x_{k-1} + \dots + A_d x_{k-d}) + (A_1 x_{k-1} + \dots + A_d x_{k-d})^T P (A_0 x_k + A_1 x_{k-1} + \dots + A_d x_{k-d}) < 0$. In the equivalent matrix formulation:

$$\begin{pmatrix} x_k \\ x_{k-1} \\ \vdots \\ x_{k-d} \end{pmatrix}^T \begin{pmatrix} A_0^T P A_0 - P & A_0^T P A_1 & \dots & A_0^T P A_d \\ A_1^T P A_0 & A_1^T P A_1 & \dots & A_1^T P A_d \\ \vdots & \vdots & \ddots & \vdots \\ A_d^T P A_0 & A_d^T P A_1 & \dots & A_d^T P A_d \end{pmatrix} \begin{pmatrix} x_k \\ x_{k-1} \\ \vdots \\ x_{k-d} \end{pmatrix} < 0 \quad (19)$$

Analogously for the second inequality:

$$\begin{pmatrix} x_k \\ x_{k-1} \\ \vdots \\ x_{k-d} \end{pmatrix}^T \begin{pmatrix} A_0^T P A_0 & A_0^T P A_1 & \dots & A_0^T P A_d \\ A_1^T P A_0 & A_1^T P A_1 - P & \dots & A_1^T P A_d \\ \vdots & \vdots & \ddots & \vdots \\ A_d^T P A_0 & A_d^T P A_1 & \dots & A_d^T P A_d \end{pmatrix} \begin{pmatrix} x_k \\ x_{k-1} \\ \vdots \\ x_{k-d} \end{pmatrix} < 0 \quad (20)$$

up to the $d + 1$ inequality. We can conclude that the existence of a positive definite matrix $P = P^T$ is a sufficient condition for the existence of an ellipsoidal \mathcal{D} -invariant set, and the proof is complete. \square

Example 2. For illustration let us consider system (1) with only one delay parameter $d = 1$ and:

$$A_0 = \begin{pmatrix} 0.35 & 0.13 \\ 0.51 & -0.01 \end{pmatrix}, \quad A_1 = \begin{pmatrix} 0.51 & -0.01 \\ 0.03 & 0.51 \end{pmatrix}. \quad (21)$$

The condition for the existence of a \mathcal{D} -contractive set proposed in Theorem 5 is fulfilled and the \mathcal{D} -contractive set exists as shown in Fig. 1. Dashed black lines in Fig. 1 represent the state trajectories starting from some points on the boundary of the ellipsoidal \mathcal{D} -contractive set with respect to the dDDE (1) with $d = 1$, A_0, A_1 given in (21). It is interesting to note that the sufficient condition $\|A_0\|_p + \|A_1\|_p \leq 1$ by Hennes and Tarbouriech (1998); Lombardi et al. (2011b) does not hold for this numerical example.

3.3. Necessary and sufficient algebraic conditions for polyhedral \mathcal{D} -invariant sets

The problem of finding convex \mathcal{D} -invariant sets can benefit whenever particular structural properties are enforced. It is the case of polyhedral sets, for which necessary and sufficient conditions exist as resumed by the following theorem.

Theorem 6 (Hennes and Tarbouriech (1997)). Let a delay difference equation be described by (1). There exists \mathcal{P} a polyhedral \mathcal{D} -contractive set containing the origin:

$$\mathcal{P} = \{x \in \mathbb{R}^n \mid Fx \leq \mathbf{1}\} \quad (22)$$

with $F \in \mathbb{R}^{r \times n}$, described by its minimal half space representation, if and only if there exist $d + 1$ real matrices $H_i \in \mathbb{R}^{r \times r}$, for $i = \{0, \dots, d\}$, with non-negative elements and a positive $\epsilon < 1$, such that:

$$FA_i = H_i F \quad (23a)$$

$$\left(\sum_{i=0}^d H_i \right) \mathbf{1}_r \leq \epsilon \mathbf{1}_r \quad (23b)$$

Clearly, if the requirement on ϵ being strictly smaller than 1 is relaxed to non-strict inequality, then (23) represents a necessary and sufficient condition for the existence of a \mathcal{D} -invariant set.

3.4. Relationship between \mathcal{D} -invariance and dDDE stability

In this subsection we aim at complementing the overview of the necessary and sufficient conditions with a theoretical result that establishes a link between the stability in presence of time-varying delay and the existence of \mathcal{D} -invariant sets.

Theorem 7. The dDDE (2) admits a proper \mathcal{D} -invariant set if and only if the time-varying dDDE (3) is delay-independent stable.

Proof. We prove next the case of dDDE with only two delay parameters, $x(k + 1) = A_0 x(k - d_0) + A_1 x(k - d_1)$, the case of finite number of delays (2) being a direct generalization. The proof of the "only if" implication builds on the fact that the existence of a \mathcal{D} -invariant set \mathcal{P} is equivalent to the set inclusion:

$$A_0 \mathcal{P} \oplus A_1 \mathcal{P} \subset \mathcal{P} \quad (24)$$

Thus for initial conditions $x(k) \in \mathcal{P}$ for $k \in \mathbb{Z}_{(-\infty, 0]}$ one has $x(1) \in \mathcal{P}$ independent of the delay realization $d_0(0), d_1(0) \in \mathbb{N}$. By induction, given a positive index $i \in \mathbb{N}$, if $x(k) \in \mathcal{P}$ for $k \in \mathbb{Z}_{(-\infty, i]}$ then $x(i + 1) \in \mathcal{P}$ independent of the delay realization $d_0(i), d_1(i) \in \mathbb{N}$ which implies that the trajectories are bounded $x(k) \in \mathcal{P}, \forall k \in \mathbb{N}_+$. Stability for any initial condition follows from property (1) of Proposition 1. By homogeneity, \mathcal{D} -invariance is preserved by scaling and as such, there always exists a \mathcal{D} -invariant set which contains a given initial condition of the dDDE.

For the "if" part of the proof, consider the initial conditions for the system (3) to be contained in a compact set \mathcal{P} containing the origin in its interior. Formally, the initial conditions and the time-varying delay realization can be described by the functions:

$$\begin{aligned} \mathbf{x}_{\bar{p}} &: \mathbb{Z}_{(-\infty, 0]} \rightarrow \mathcal{P} \\ \mathbf{d}_0 &: \mathbb{N}_+ \rightarrow \mathbb{Z}_{(-\infty, 0]} \end{aligned} \quad (25)$$

$$\mathbf{d}_1 : \mathbb{N}_+ \rightarrow \mathbb{Z}_{(-\infty, 0]} \quad (26)$$

Having as objective the construction of the reachable set from \mathcal{P} , let us denote the state at time instant $k \in \mathbb{Z}$ by $x(k, \mathbf{x}_{\bar{p}}, \mathbf{d}_0, \mathbf{d}_1)$ as the solution of (3) with respect to the initial conditions $\mathbf{x}_{\bar{p}}$ and time-varying delay realizations $\mathbf{d}_0(\cdot), \mathbf{d}_1(\cdot)$. With this notation, the reachable set from \mathcal{P} via (3) is defined as:

$$\mathcal{R}(\mathcal{P}) = \{x \in \mathbb{R}^n \mid \exists k \in \mathbb{N}_+, \mathbf{x}_{\bar{p}}(\cdot), \mathbf{d}_0(\cdot), \mathbf{d}_1(\cdot) \text{ s.t. } x = x(k, \mathbf{x}_{\bar{p}}, \mathbf{d}_0, \mathbf{d}_1)\} \quad (27)$$

Coming back to the proof, the objective is to show that $\mathcal{P}_r = \mathcal{P} \cup \mathcal{R}(\mathcal{P})$ is a proper \mathcal{D} -invariant set. The fact that the origin is contained in the interior of \mathcal{P}_r is inherited from the properties of \mathcal{P} . The boundedness of the set $\mathcal{R}(\mathcal{P})$ is ensured by the stability assumption and will be inherited by \mathcal{P}_r . What remains to be proved is the invariance of \mathcal{P}_r . Three possibilities should be discussed:

- $x(k - d_0(k)) \in \mathcal{P}$ and $x(k - d_1(k)) \in \mathcal{P}$: in this case the state $x(k + 1)$ is part of the one step reachable set and subsequently $x(k + 1) \in \mathcal{R}(\mathcal{P}) \subset \mathcal{P}_r$.
- $x(k - d_0(k)) \in \mathcal{P}$ and $x(k - d_1(k)) \in \mathcal{R}(\mathcal{P})$ (with delay indices which can be interchanged): this case corresponds to a reachable state $x(k - d_1(k)) \in \mathcal{R}(\mathcal{P})$ combined with a large (pseudo-infinite) delay $d_0(k)$. As a consequence, the state realizations $x(k + 1)$ will represent a subset of the reachable set and $\mathcal{R}(\mathcal{P}) \subset \mathcal{P}_r$.
- $x(k - d_0(k)) \in \mathcal{R}(\mathcal{P})$ and $x(k - d_1(k)) \in \mathcal{R}(\mathcal{P})$ (with delay indices which can be interchanged): again, via reachability $x(k + 1) \in \mathcal{R}(\mathcal{P}) \subset \mathcal{P}_r$ with the particular case $d_0(k) = d_1(k)$ which deserves a special treatment. Indeed, for the restriction $d_0(k) = d_1(k)$, the state dynamics (3) reduces to $x(k + 1) = (A_0 + A_1)x(k - d_1(k))$. But this realization is only a particular case of the general time-varying delay realization $d_0(k) \neq d_1(k)$ for which $x(k - d_0(k)) = x(k - d_1(k))$, which is covered by the reachable set construction and the proof is complete. \square

Remark 4. The sets containing the forward trajectories, as those used in the argument of the proof, are non-convex and lead to computationally demanding constructions, from a practical point of view. In the next section we describe the corresponding algorithm and subsequently reinforce the convexity by exploiting property (5) of Proposition 1.

4. Construction of \mathcal{D} -invariant sets based on set iterations

We address now the construction procedures for the case $x(k + 1) = A_0x(k) + A_d x(k - d)$ supposing that it admits a \mathcal{D} -invariant set. The general form (1) follows similarly. We use the fact that existence of \mathcal{D} -invariant sets is exactly equivalent, by Lemma (3), to the verification of $A_0\mathcal{P} \oplus A_d\mathcal{P} \subseteq \mathcal{P}$. To simplify the explanation, we first define the forward mapping :

$$\begin{aligned} \Phi : Com(\mathbb{R}^n) &\rightarrow Com(\mathbb{R}^n) \\ \Phi(\mathcal{P}) &= A_0\mathcal{P} \oplus A_d\mathcal{P} \end{aligned} \quad (28)$$

and the mapping based on the union:

$$\begin{aligned} \Psi : Com(\mathbb{R}^n) &\rightarrow Com(\mathbb{R}^n) \\ \Psi(\mathcal{P}) &= \bigcup(\mathcal{P}, \Phi(\mathcal{P})). \end{aligned} \quad (29)$$

Note that even if \mathcal{P} is convex, $\Psi(\mathcal{P})$ is not necessarily convex.

Remark 5. We enumerate here some useful properties of the mappings defined in (28) and (29):

1. If a given set \mathcal{P} (convex or not) is \mathcal{D} -invariant for (1), then $\Phi(\mathcal{P}) \subseteq \mathcal{P}$.
2. k -iterates over the family of sets is set-wise non decreasing ($\Psi^{k-1}(\mathcal{P}) \subseteq \Psi^k(\mathcal{P}), \forall k \geq 1$) with $\Psi^k(\mathcal{P}) = \Psi(\Psi^{k-1}(\mathcal{P}))$ for $k > 0$ and $\Psi^0(\mathcal{P}) = \mathcal{P}$.
3. If \mathcal{P} is \mathcal{D} -invariant for (1) then $\Phi^k(\mathcal{P})$ is set-wise non increasing ($\Phi^k(\mathcal{P}) \subseteq \Phi^{k-1}(\mathcal{P}), \forall k \geq 1$).

4.1. Basic set-iterates procedure for the construction of \mathcal{D} -invariant sets

We describe in this part the basic steps of an iterative construction of \mathcal{D} -invariant sets. Under the assumption that such an invariant set exists for the system (1), we can always scale it using property (1) of Proposition (1) such that it encompasses the initial set \mathcal{Q} . Using the theoretical properties shown above, an algorithmic routine based on non-convex sets mapping is proposed for the computation of \mathcal{D} -invariant sets with respect to (1). Algorithm 1 considers as an input argument an arbitrary bounded set \mathcal{Q} containing the origin (Schneider, 2013; Ziegler, 1995).

Convergence and finite determinedness analysis: First, it can be proved that Algorithm 1 constructs a non-decreasing sequence

Algorithm 1: Basic (non-convex) set-iterates procedure.

Data: A bounded set $\mathcal{Q} \in \mathbb{R}^n$ containing the origin; the matrices $A_0, A_d \in \mathbb{R}^{n \times n}$ describing the system (1)

Result: \mathcal{R} a \mathcal{D} -invariant set

$\mathcal{R}_0 = \mathcal{Q}$;

$\mathcal{R}_1 = \Phi(\mathcal{Q}) = A_0\mathcal{Q} \oplus A_d\mathcal{Q}$;

$i = 1$;

while $\mathcal{R}_i \not\subseteq \mathcal{R}_{i-1}$ **do**

$\mathcal{R}_{i+1} = \Psi(\mathcal{R}_i) = \bigcup(\mathcal{R}_i, A_0\mathcal{R}_i \oplus A_d\mathcal{R}_i)$;

$i = i + 1$;

end

Return $\mathcal{R} = \mathcal{R}_i$

(Alternatively, $\mathcal{R} = Conv(\mathcal{R}_i)$ can represent the output if a unique convex set is needed.)

that converges to a \mathcal{D} -invariant set. Indeed, the algorithm is based on the set mapping $\mathcal{R}_{i+1} = \Psi(\mathcal{R}_i)$ which satisfies $\mathcal{R}_{i+1} \supseteq \mathcal{R}_i$. Thus the sequence \mathcal{R}_i is non-decreasing in the sense of set inclusion. On the other hand, since the \mathcal{D} -invariance is scalable (using property (1) of Proposition (1)), the hypothesis of existence of a \mathcal{D} -invariant set \mathcal{P} containing \mathcal{Q} ensures $\mathcal{Q} \subset \mathcal{R}_i \subset \mathcal{P}$. Since any set \mathcal{R}_i provided by the algorithm is a subset of \mathcal{P} , $\Psi(\mathcal{R}_i)$ is also a subset of \mathcal{P} . In conclusion, the algorithm provides a sequence of sets \mathcal{R}_i which is non-decreasing by inclusion and limited from above by \mathcal{P} . Hence the sequence admits a limit which is \mathcal{D} -invariant (by the structure of the algorithm) and proper (because limited from above by \mathcal{P} which is a fixed point with respect to the mapping $\Psi(\cdot)$). Secondly, the finite determinedness can be formally proved. Given the (delay-independent) asymptotic stability of system (1) with matrices A_0 and A_d , there exists a finite number of time steps t_{max} such that the trajectories initiated in \mathcal{Q} end up in \mathcal{P} . The algorithm is collecting the trajectories initiated in \mathcal{Q} , which is a subset of \mathcal{P} , and thus t_{max} represents an upper bound for the number of iterations. This completes the convergence analysis of the algorithm.

Note that the iterations and the limit set are non-convex and this is related to the union operation performed by the mapping in $\Psi(\cdot)$.

Example 3. Laraba et al. (2015b) Let us consider the following dynamical system:

$$x(k + 1) = \begin{bmatrix} 0.1 & 0 \\ 0.4 & 0.1 \end{bmatrix} x(k) + \begin{bmatrix} 0.1 & -0.2 \\ 0.4 & 0.5 \end{bmatrix} x(k - d), \quad (30)$$

Consider the initialization set \mathcal{Q} as the ∞ -norm unit ball in \mathbb{R}^2 . A non-convex \mathcal{D} -invariant set is obtained iteratively by applying Algorithm 1 with 4 iterations.

Fig. 2 presents this invariant set (the left one), and the image (the right one) of this set by the forward mapping $\Phi(\cdot)$. Fig. 3 presents the Convex hull of the obtained non-convex \mathcal{D} -invariant set and shows that it is \mathcal{D} -invariant as theoretically proved in property (5) of Proposition 1.

4.2. Convex set-iterates procedure for the construction of \mathcal{D} -invariant sets

We describe briefly in this part the main steps of an iterative construction of \mathcal{D} -invariant sets while manipulating only convex sets. This algorithmic routine was proposed by Lombardi et al. (2011b), but we recall it here in light of Theorem 7 and Algorithm 1. Let us define the two mappings :

$$\begin{aligned} \Omega : ComC(\mathbb{R}^n) &\rightarrow ComC(\mathbb{R}^n) \\ \Omega(\mathcal{P}) &= A_0\mathcal{P} \oplus A_d\mathcal{P} \end{aligned} \quad (31)$$

$$\begin{aligned} \Xi : ComC(\mathbb{R}^n) &\rightarrow ComC(\mathbb{R}^n) \\ \Xi(\mathcal{P}) &= Conv(\mathcal{P}, \Omega(\mathcal{P})). \end{aligned} \quad (32)$$




Fig. 2. Graphical illustration of the non-convex \mathcal{D} -invariant set for the Example 3. The \mathcal{D} -invariant set-green (left); the set $A_0\mathcal{P} \oplus A_d\mathcal{P}$ -red (right). (For interpretation of the references to color in this figure legend, the reader is referred to the web version of this article).




Fig. 3. Graphical illustration of the convex \mathcal{D} -invariant set for the Example 3.

Given a convex set $\mathcal{P} \in \text{ComC}(\mathbb{R}^n)$, the sequence $\Xi^k(\mathcal{P}), k > 0$ converges toward a convex \mathcal{D} -invariant set Lombardi et al. (2011b). The main objective of this procedure remains the same as the previous one: enlarge the set as much as possible with the Convex hull operation, while keeping it included in a \mathcal{D} -invariant superset.

Algorithm 2, unlike the previous one, manipulates convex sets with all their computational advantages. At each iteration, the convex hull of the union of the present set and the forward mapping of the same set \mathcal{R}_i are obtained.

4.3. Complexity and speed of convergence

In this section, we point to the possible extension of Algorithms 1 and 2 in order to improve the convergence speed. Instead of performing one forward mapping in each iteration before checking \mathcal{D} -invariance, N forward mappings are performed in each iteration. The resulting Algorithm 3 seems to be efficient in the sense that we can reduce the complexity and the number of iterations.

Example 4. Laraba et al. (2015b) Let us consider the following dynamical system :

$$x(k+1) = \begin{bmatrix} 0.2 & 0.1 \\ 0 & 0.6 \end{bmatrix} x(k) + \begin{bmatrix} 0.5 & 0 \\ 0.1 & 0.3 \end{bmatrix} x(k-d). \quad (33)$$

Let

$$\mathcal{Q} = \left\{ x \in \mathbb{R}^2 \mid \begin{bmatrix} \sqrt{2} & -\sqrt{2} \\ -\sqrt{2} & \sqrt{2} \\ \sqrt{2} & \sqrt{2} \\ -\sqrt{2} & -\sqrt{2} \end{bmatrix} x \leq \begin{bmatrix} 0.5 \\ 1 \\ 0.5 \\ 1 \end{bmatrix} \right\}$$

Algorithm 2: Convex set-iterates converging to a \mathcal{D} -invariant set.

Data: A convex set $\mathcal{Q} \in \mathbb{R}^n$ containing the origin in the interior; the matrices $A_0, A_d \in \mathbb{R}^{n \times n}$

Result: \mathcal{R} Convex \mathcal{D} -invariant set

$\mathcal{R}_0 = \mathcal{Q};$

$\mathcal{R}_1 = \Phi(\mathcal{Q}) = A_0\mathcal{Q} \oplus A_d\mathcal{Q};$

$i = 1;$

while $\mathcal{R}_i \not\subset \mathcal{R}_{i-1}$ **do**

$\mathcal{R}_{i+1} = \Xi(\mathcal{R}_i) = \text{Conv}(\mathcal{R}_i, A_0\mathcal{R}_i \oplus A_d\mathcal{R}_i);$

$i = i + 1;$

end

Return $\mathcal{R} = \mathcal{R}_i$

Algorithm 3: Auxiliary set-iterates procedure.

Data: A bounded convex set containing the origin $\mathcal{Q} \in \mathbb{R}^n$; the matrices $A_0, A_d \in \mathbb{R}^{n \times n}$; N the number of forward mappings in one iteration

Result: \mathcal{R} Convex \mathcal{D} -invariant set

$\mathcal{R}_0 = \mathcal{Q};$

$\mathcal{R}_1 = \Omega(\mathcal{Q}) = A_0\mathcal{Q} \oplus A_d\mathcal{Q};$

$\text{Aux}_1 = \mathcal{R}_0;$

$i = 1;$

while $\mathcal{R}_i \not\subset \mathcal{R}_{i-1}$ **do**

for $m = 1 : N$ **do**

$\text{Aux}_{m+1} = \Phi(\text{Aux}_m)$

end

$\text{Aux} = [\text{Aux}_1, \text{Aux}_2, \dots, \text{Aux}_{N+1}];$

$\mathcal{R}_i = \text{Conv}(\text{Aux});$

$\mathcal{R}_{i+1} = \Omega(\mathcal{R}_i);$

$i = i + 1;$

$\text{Aux}_1 = \mathcal{R}_i;$

end

Return $\mathcal{R} = \mathcal{R}_i$




Fig. 4. Graphical illustration of \mathcal{D} -invariant sets obtained by Algorithm 2 (left) and Algorithm 3 (right), for the Example 4.

be the initialization set. By applying Algorithm 3 with $N = 2$ and Algorithm 2, two different \mathcal{D} -invariant sets are obtained for the dynamical system (33) in $2 * (N = 2)$ and 18 iterations, respectively. Fig. 4 presents these sets. Dashed black lines represent the state trajectories starting from the vertices of these sets with respect to the dynamics (33).

It becomes clear that, under the assumption that a \mathcal{D} -invariant set exists, an efficient construction exists. We can also use the algorithmic construction (Algorithm 2) as an induced tool to check




Fig. 5. Sequence of the forward mappings $Conv(\mathcal{P}, A_0\mathcal{P} \oplus A_d\mathcal{P})$, for the Example 1.




Fig. 6. Schematic overview of the presented results. (For interpretation of the references to color in this figure, the reader is referred to the web version of this article).

if a \mathcal{D} -invariant set can/cannot be obtained, whenever the dDDE satisfies the necessary conditions for the existence of such invariant sets. To illustrate this idea, Example 1, which raises a doubt about the sufficiency of the matrix-pencil based conditions (Stanković et al., 2014), will be discussed in the sequel. By computing the set iterations up to strict inclusion into the initial one, convergence/divergence can be inferred. If the initial set \mathcal{Q} for Algorithm 2 is the ∞ -norm unit ball in \mathbb{R}^2 and the dDDE is given by the matrices in Example 1, then after 4 iterations one obtains the sequence in Fig. 5. The set iteration can be stopped as long as \mathcal{Q} is a strict subset of \mathcal{P}_4 . This represents a proof by construction that forward set iterations diverge and the system does not admit a \mathcal{D} -invariant set.

A pictorial overview of the relation between different kinds of stability and existence of \mathcal{D} -invariant sets is given in Fig. 6. Solid black lines represent implications that have been proved herein. Solid yellow lines represent previous results and dashed lines with question marks represent open problems. Dashed lines with a cross between two statements show that the first property does not necessarily imply the second.

5. Extensions of \mathcal{D} -invariance

As mentioned in the introduction, two main approaches exist in the literature dealing with positive invariant sets for discrete time-delay difference equations; an invariant set for the dDDE can be computed either in an extended state space, or in the original state space (in this latter case, it is called \mathcal{D} -invariant set). The concept of cyclic invariance (Lombardi et al., 2012) can be exploited to compute, instead of a rigid set in $(\mathbb{R}^n)^{d+1}$ or \mathbb{R}^n as in the two

forementioned approaches, a tuple of invariant sets; thus offering a certain degree of flexibility.

Definition 9. A $(d + 1)$ -tuple of sets $\{\Omega_0, \dots, \Omega_d\}$ is called cyclic \mathcal{D} -invariant with respect to (1) if:

$$\begin{aligned} A_0\Omega_0 \oplus A_1\Omega_1 \oplus \dots \oplus A_d\Omega_d &\subseteq \Omega_d; \\ A_0\Omega_d \oplus A_1\Omega_0 \oplus \dots \oplus A_d\Omega_{d-1} &\subseteq \Omega_{d-1}; \\ &\vdots \\ A_0\Omega_1 \oplus A_1\Omega_2 \oplus \dots \oplus A_d\Omega_0 &\subseteq \Omega_0. \end{aligned} \tag{34}$$

A generalization of the cyclic invariance notion to invariant family of sets was proposed by Raković et al. (2012) and Raković and Gielen (2014).

Definition 10. A family of $(d + 1)$ -tuples of sets $\mathcal{F} \subset (\mathbb{R}^n)^{d+1}$ is an invariant family with respect to (1) if for any tuple $\{\Omega_0, \Omega_1, \dots, \Omega_d\} \in \mathcal{F}$ there exists a set $\Omega_* \subset \mathbb{R}^n$ such that $\{\Omega_*, \Omega_0, \dots, \Omega_{d-1}\} \in \mathcal{F}$ and $A_0\Omega_* \oplus A_1\Omega_1 \oplus \dots \oplus A_d\Omega_d \subseteq \Omega_*$.

The link between the two main representations for discrete time-delay difference equations and their invariant sets has received recently a unifying characterization via set factorization (Olaru et al., 2014). The reader is referred to this work for geometrical details on the Cartesian product of sets in relationship with positive invariance for time-delay systems.

6. Conclusion

This paper discusses positive invariance for discrete time-delay systems. Necessary and/or sufficient conditions for the existence of \mathcal{D} -invariant sets have been gathered and discussed. The relationship between \mathcal{D} -invariance and stability has been studied for discrete delay difference equations (dDDEs). The construction of \mathcal{D} -invariant sets via set iterations has been shown to benefit from set convexification, despite the fact that set forward mappings based on the original dDDE lead to a non-convex \mathcal{D} -invariant set.

Acknowledgments

The research leading to these results has benefited from the financial support of the Franco-Italian collaborative research programme No. 30188PK Galileo 2014. The first three authors gratefully acknowledge financial support from the European Union's 7th Framework programme under EC-GA No. 607957 TEMPO – Training in Embedded Predictive Control and Optimization.

The authors would like to thank the anonymous reviewers and the Associate Editor for their effort in providing thorough and detailed reviews which contributed to the improvement of this paper.

References

Aleksandrov, A. Y., & Mason, O. (2014). Diagonal Lyapunov-Krasovskii functionals for discrete-time positive systems with delay. *Systems & Control Letters*, 63, 63–67.

Aström, K., & Wittenmark, B. (1997). *Computer-controlled systems: theory and design*. Prentice Hall.

Athanasopoulos, N., & Lazar, M. (2014a). On controlled-invariance and stabilization of time-delay systems. In *Proceedings of European control conference (ECC)* (pp. 778–783).

Avila Alonso, J. L., Bonnet, C., Özbay, H., Clairambault, J., Niculescu, S.-I., Hirsch, P., & Delhommeau, F. (2014). A coupled model for healthy and cancer cells dynamics in acute myeloid leukemia. In *Proceedings of the 19th IFAC world congress: 19* (pp. 7529–7534).

Bitsoris, G., Athanasopoulos, N., & Dritsas, L. (2012). Stability, positive invariance and design of constrained regulators for networked control systems. *International Journal of Control*, 85(10), 1401–1413.

Blanchini, F. (1999). Set invariance in control. *Automatica*, 35, 1747–1767.

Blanchini, F., & Miani, S. (2008). *Set-theoretic methods in control*. Boston: Birkhuser.

Boussaada, I., Mounier, H., Niculescu, S.-I., & Cela, A. (2012). Analysis of drilling vibrations: A time-delay system approach. In *Proceedings of the 20th IEEE mediterranean conference on control & automation (MED)* (pp. 610–614). IEEE.

- Cooke, K., & Ivanov, A. (2000). On the discretization of a delay differential equation. *Journal of Difference Equations and Applications*, 6(1), 105–119.
- Crauel, H., Doan, T., & Siegmund, S. (2009). Difference equations with random delay. *Journal of Difference Equations and Applications*, 15(7), 627–647.
- Damak, S., Ferhi, A., Andrieu, V., Di Loreto, M., & Lombardi, W. (2013). A bridge between Lyapunov–Krasovskii and spectral approaches for stability of difference equations. In *Time delay systems: 11* (pp. 30–35).
- Dambrine, M., Richard, J. P., & Borne, P. (1995). Feedback control of time-delay systems with bounded control and state. *Mathematical Problems on Engineering*, 1(1), 77–87.
- Di Cairano, S., Kalabić, U. V., & Kolmanovskiy, I. V. (2015). Reference governor for network control systems subject to variable time-delay. *Automatica*, 62, 77–86.
- Elaydi, S. (2004). *An introduction to difference equations*. Springer.
- Fisher, M., & Goh, B. (1984). Stability results for delayed-recruitment models in population dynamics. *Journal of Mathematical Biology*, 19(1), 147–156.
- Gielen, R. H., Lazar, M., & Kolmanovskiy, I. V. (2012a). Lyapunov methods for time-invariant delay difference inclusions. *SIAM Journal on Control and Optimization*, 50(1), 110–132.
- Gielen, R. H., Lazar, M., & Olaru, S. (2012b). Set-induced stability results for delay difference equations: 423. *Time delay systems: methods, applications, and new trends* (pp. 73–84). Springer Series Lecture Notes in Control and Information Sciences
- Gielen, R. H., Lazar, M., & Raković, S. V. (2013). Necessary and sufficient Razumikhin-type conditions for stability of delay difference equations. *IEEE Transactions on Automatic Control*, 58(10), 2637–2642.
- Goubet-Bartholomeus, A., Dambrine, M., & Richard, J. P. (1997). Bounded domains and constrained control of linear time-delay systems. *Journal European Des Systemes Automatisees*, 31(6), 1001–1014.
- Halanay, A., & Rasvan, V. (2000). *Stability and stable oscillations in discrete time systems: 2*. CRC Press.
- Heemels, W., Van de Wouw, N., Gielen, R., Donkers, M., Hetel, L., Olaru, S., ... Niculescu, S. (2010). Comparison of overapproximation methods for stability analysis of networked control systems. In *Proceedings of the 13th ACM international conference on hybrid systems: computation and control* (pp. 181–190).
- Hennet, J.-C. (1998). A feedback stabilization technique for delay differential systems. In A. Beghi, L. Finesso, & G. Picci (Eds.), *Proceedings of the Mathematical Theory of Networks and Systems (MTNS-98)*, II Poligrafo (pp. 471–474). Padua.
- Hennet, J.-C., & Tarbouriech, S. (1997). Stability and stabilization of delay differential systems. *Automatica*, 33(3), 347–354. doi:10.1016/S0005-1098(96)00185-9.
- Hennet, J. C., & Tarbouriech, S. (1998). Stability conditions of constrained delay systems via positive invariance. *International Journal Of Robust and Nonlinear Control*, 8(3), 265–278.
- Hetel, L., Daafouz, J., Tarbouriech, S., & Prieur, C. (2013). Stabilization of linear impulsive systems through a nearly-periodic reset. *Nonlinear Analysis: Hybrid Systems*, 7(1), 4–15.
- Hmamed, A., Benzaouia, A., Ait Rami, M., & Tadeo, F. (2007). Positive stabilization of discrete-time systems with unknown delay and bounded controls. In *Proceedings of European control conference (ECC)* (pp. 5616–5622). Kos, Greece.
- Hmamed, A., Benzaouia, A., & Bensalah, H. (1995). Regulator problem for linear continuous-time delay systems with nonsymmetrical constrained control. *IEEE Transaction on Automatic Control*, 40(9), 1615–1619. doi:10.1109/9.412630.
- Keqin Gu, J. C., & Kharitonov, V. L. (2003). *Stability of time-delay systems*. Boston, USA: Birkhäuser/Springer Science + Business Media, LLC.
- Laraba, M. T., Olaru, S., Niculescu, S.-I., & Bitsoris, G. (2015a). Invariant sets for discrete time-delay systems: Set factorization and state representation. In *Proceedings of the 19th international conference on system theory, control and computing (ICSTCC)* (pp. 7–12). Cheile Gradistei, Romania.
- Laraba, M. T., Olaru, S., Niculescu, S.-I., Blanchini, F., Miani, S., Casagrande, D., & Giordano, G. (2015b). Set invariance for delay difference equations. In *Proceedings of the 12th IFAC workshop on time delay systems* (pp. 215–220). Ann Arbor (MI), USA.
- Lombardi, W. (2011). *Constrained control for time-delay systems*. Supélec Ph.D. thesis.
- Lombardi, W., Luca, A., Olaru, S., & Niculescu, S.-I. (2011a). On the polyhedral set invariance conditions for time-delay systems. In *Proceedings of the 18th IFAC world congress* (pp. 308–313). Milano, Italy.
- Lombardi, W., Olaru, S., Bitsoris, G., & Niculescu, S.-I. (2012). Cyclic invariance for discrete time-delay systems. *Automatica*, 48(10), 2730–2733.
- Lombardi, W., Olaru, S., Lazar, M., & Niculescu, S. I. (2011b). On positive invariance for delay difference equations. In *Proceedings of the American control conference*, (pp. 3674–3679).
- Mayne, D., Rawlings, J., Rao, C., & Scokaert, P. (2000). Constrained model predictive control: Stability and optimality. *Automatica*, 36, 789–814.
- Miani, S., & Morassutti, A. (2009). Switching controllers for networked control systems with packet dropouts and delays in the sensor channel. In *Proceedings of the first IFAC workshop on estimation and control of networked systems* (pp. 334–339).
- Michiels, W., & Niculescu, S.-I. (2007). *Stability and Stabilization of time-delay systems (Advances in design & control)*. Philadelphia, PA, USA: Society for Industrial and Applied Mathematics.
- Moussaoui, C., Abbou, R., & Loiseau, J. (2014). On bounds of input-output systems. reachability set determination and polyhedral constraints verification. In *Proceedings of the 19th IFAC world congress* (pp. 11012–11017). Cape Town, South Africa.
- Normey-Rico, J. E. (2007). *Control of dead-time processes*. Springer Science & Business Media.
- Olaru, S., De Dona, J. A., Seron, M. M., & Stoican, F. (2010). Positive invariant sets for fault tolerant multisensor control schemes. *International Journal of Control*, 83(12), 2622–2640.
- Olaru, S., Stanković, N., Bitsoris, G., & Niculescu, S.-I. (2014). Low complexity invariant sets for time-delay systems: A set factorization approach. In *Low-complexity controllers for time-delay systems* (pp. 127–139). Springer.
- Raković, S., & Gielen, R. (2014). Positively invariant families of sets for interconnected and time-delay discrete-time systems. *SIAM Journal on Control and Optimization*, 52(4), 2261–2283.
- Raković, S. V., Gielen, R. H., & Lazar, M. (2012). Construction of invariant families of sets for linear systems with delay. In *Proceedings of the IEEE American control conference* (pp. 6246–6251).
- Reble, M., & Allgöwer, F. (2010c). General design parameters of model predictive control for linear systems with delay. In *Proceedings of the 49th IEEE conference on decision and control (CDC)* (pp. 176–181).
- Samanta, G. (2011). Dynamic behaviour for a nonautonomous heroin epidemic model with time delay. *Journal of Applied Mathematics and Computing*, 35(1-2), 161–178.
- Santos, T. L., & Gonzalez, A. H. (2015d). Stable mpc with reduced representation for linear systems with multiple input delays. In *Proceedings of the American control conference (ACC)* (pp. 238–243).
- Schneider, R. (2013). *Convex bodies: the Brunn–Minkowski theory*: 151. Cambridge University Press.
- Seifert, G. (1976). Positively invariant closed sets for systems of delay differential equations. *Journal of Differential Equations*, 22(2), 292–304.
- Seuret, A., Özbay, H., Bonnet, C., & Mounier, H. (2014). *Low-complexity controllers for time-delay systems*. Springer.
- Stanković, N., Olaru, S., & Niculescu, S. I. (2014). Further remarks on asymptotic stability and set invariance for linear delay difference equations. *Automatica*, 50(8), 2191–2195.
- Stoican, F., Olaru, S., Seron, M. M., & De Dona, J. A. (2012). Reference governor design for tracking problems with fault detection guarantees. *Journal of Process Control*, 22(5), 829–836.
- Tang, S., & Chen, L. (2002). Density-dependent birth rate, birth pulses and their population dynamic consequences. *Journal of Mathematical Biology*, 44(2), 185–199.
- Tarbouriech, S. (1998). Local stabilization of continuous-time delay systems with bounded inputs. In *Stability and control of time-delay systems* (pp. 302–317). Springer.
- Tarbouriech, S., & Silva, J. M. G. d., Jr (2000e). Synthesis of controllers for continuous-time delay systems with saturating controls via lmis. *IEEE Transactions on Automatic Control*, 45(1), 105–111.
- Vassilaki, M., & Bitsoris, G. (1999). Constrained feedback control of discrete-time systems described by arma models. In *Proceedings of the 1999 European control conference*. Karlsruhe, Germany.
- Ziegler, G. M. (1995). *Lectures on polytopes*: 152. Springer Science & Business Media.
- Mohammed-T. Laraba** was born in Mila, Algeria. He received his M.Sc. degree in Control and Signals Processing from Paris-Sud University, France in 2014. Thereafter, he started working towards a Ph.D. degree in the Laboratory of Signals and Systems at CentraleSupélec. He is working as an Early Stage Researcher (ESR) in Marie Curie Initial Training Network on Embedded Model Predictive Control and Optimization (ITN-TEMPO). His research interests include analysis and control synthesis for dynamical systems under constraints, set-valued systems analysis and synthesis, time-delay systems, model predictive control.
- Sorin Olaru** is a Professor in CentraleSupélec, member of the CNRS Laboratory of Signals and Systems and of the INRIA team DISCO, all these institutions being part of the Paris-Saclay University in France. His research interests are encompassing the optimization-based control design, set-theoretic characterization of constrained dynamical systems as well as the numerical methods in control. He is currently involved in research projects related to embedded predictive control, fault tolerant control and time-delay systems.
- Silviu-Julian Niculescu** received the B.Sc. degree from the Polytechnical Institute of Bucharest, Romania, the M.Sc., Ph.D. degrees, in automatic control, from INP Grenoble, France and the French habilitation from Université Technologique de Compiègne, France. From September 2006, he joined L2S (Laboratory of Signals and Systems), Gif-sur-Yvette, where he is currently a CNRS research director (senior researcher) and the head of the laboratory. Dr. Niculescu is the author or co-author of 9 books and more than 400 book chapters or scientific papers. Since 2012, he is the founding editor and the scientific responsible of a new Springer (book) series: *Advances in Delays in Dynamics (ADD@S)*. Dr. Niculescu was awarded the CNRS Silver and Bronze Medals for scientific research, and the Ph.D. Thesis Award from INP Grenoble (France) in 2011, 2001, and 1996, respectively. His research interests include delay systems, robust control, operator theory, and numerical methods in optimization, and their applications to the design of engineering systems.
- Franco Blanchini** was born on 29 December 1959, in Legnano (Italy). He is the Director of the Laboratory of System Dynamics at the University of Udine. He was Program Vice-Chairman of the Conference Joint CDC-ECC 2005, Seville, Spain; Program Vice-Chairman of the Conference CDC 2008, Cancun, Mexico; Program Chairman of the Conference ROCOND, Aalborg, Denmark, June 2012 and Program Vice-Chairman of the Conference CDC 2013, Florence, Italy. He is co-author of the book “Set theoretic methods in control”, Birkhäuser. He is the recipient of the 2001 ASME Oil & Gas Application Committee Best Paper Award and of the 2002 IFAC survey paper prize for the article “Set Invariance in Control – a survey”, *Automatica*, November

1999. He has been an Associate Editor for *Automatica* from 1996 to 2006. Since 2011, he has been an Associate Editor for *IEEE Transactions on Automatic Control*.

Giulia Giordano received her B.Sc. and M.Sc. degrees *summa cum laude* in Electrical Engineering, in 2010 and 2012 respectively, and her Ph.D. with a focus on Systems and Control Theory in 2016, from the University of Udine, Italy. She visited the Control and Dynamical Systems group at the California Institute of Technology, Pasadena (CA), USA, in 2012 and the Institute of Systems Theory and Automatic Control at the University of Stuttgart, Germany, in 2015. Her main research interests include analysis of biological systems and control of network systems.

Stefano Miani was born in Parma, Italy, in 1967. He received the electrical engineering Laurea degree and the Ph.D. degree in control engineering from the University of Padova, Italy, in 1993 and 1996, respectively. In 1997 he worked at the University of Padova as an Assistant Professor. Since November 1998 he has worked at the University of Udine, Italy, where he currently holds an Associate Professor position. He has been member of editorial boards and organizing committees of international journals and conferences and he is currently member of the "IFAC Technical Com-

mittee on Robust Control" and Associate Editor for the *IEEE Transactions on Automatic Control*. His research results, developed in the areas of constrained control, l_∞ disturbance attenuation problems, gain scheduling control, uncertain production-distribution systems via set-valued techniques, and switching controllers, have been published in more than 80 international papers and an international book.

Daniele Casagrande was born in Belluno, Italy, in 1973. He received the "Laurea" degree in electronic engineering in 1999 and the Ph.D. in information engineering in 2006, both from the University of Trieste, Italy. In 2006 he was research associate at the Institute of Cybernetics of the Tallinn University of Technology, Estonia. Between 2006 and 2007 he was research associate at the Department of Electrical, Electronic and Computer Engineering of the University of Trieste. In 2008 he was research associate at the Department of Electrical and Electronic Engineering of Imperial College London, UK. Since 2008 he is with the Polytechnic Department of Engineering and Architecture, University of Udine, Italy, where he is currently an assistant professor in optimization. His current research interests are focused on stability of switched system, Hamiltonian systems, LPV stability, nonlinear control and optimization.